

# **United States Department of the Interior**



#### FISH AND WILDLIFE SERVICE Red Bluff Fish & Wildlife Office 10950 Tyler Road, Red Bluff, California 96080 (530) 527-3043, FAX (530) 529-0292

April 4, 2018

To: Interested Parties

From: Scott Voss, Supervisory Fish Biologist, Red Bluff Fish and Wildlife Office

Subject: Biweekly report (February 12, 2018 - February 25, 2018)

Please find attached preliminary daily estimates of passage, 90% confidence intervals, and fork length ranges of unmarked juvenile salmonids sampled at Red Bluff Diversion Dam for the period February 12, 2018 through February 25, 2018. Race designation was assigned using length-at-date criteria.

This report also contains graphical displays of salmonid passage dating back to 2011 for comparison.

Please note that data contained in these reports is subject to revision as this data is preliminary and undergoing QA/QC procedures.

If you have any questions, please feel free to contact me at (530) 527-3043 ext 243.

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

Date	Discharge volume (cfs) <sup>1</sup>	Water temperature (°C)	Water turbidity (NTU)	Estimated passage				
				BY17 Winter	BY17 Spring	BY17 Fall	BY17 Late-Fall	BY18 RBT
2/12/2018	5,092	9.6	2.2	69 (99 – 119)	69 (63 – 66)	584 (31 – 45)	0(-)	0 (-)
2/13/2018	5,060	9.6	1.9	185 (74 – 141)	93 (59 – 63)	646 (28 – 39)	0(-)	0(-)
2/14/2018	4,939	9.8	1.9	59 (82 – 99)	323 (56 – 71)	647 (31 – 47)	0(-)	0(-)
2/15/2018	4,826	9.8	2.2	31 (94)	189(60-74)	283 (34 – 47)	0(-)	0(-)
2/16/2018	4,713	10.0	2.7	32 (86)	31 (57)	317 (31 – 55)	0(-)	0(-)
2/17/2018	4,599	10.6	1.9	28 (84)	195 (61 – 73)	557 (33 – 52)	0(-)	0(-)
2/18/2018	4,554	10.7	2.2	59 (78 – 93)	293 (57 – 75)	792 (32 – 56)	0(-)	0(-)
2/19/2018	4,462	9.8	1.7	55 (77 – 79)	277 (58 – 75)	388 (32 – 56)	0 ( - )	0(-)
2/20/2018	4,347	8.9	1.7	30 (131)	386(60-71)	446 (32 – 40)	0(-)	0(-)
2/21/2018	4,277	8.8	1.9	81 (81 – 112)	436 (58 – 76)	654 (32 – 55)	0(-)	0(-)
2/22/2018	4,254	8.8	1.7	122 (78 – 156)	517 (58 – 77)	667 (31 – 57)	0(-)	31 (23)
2/23/2018	4,254	8.4	2.3	88 (81 – 112)	559 (59 – 73)	589 (30 – 58)	0(-)	0(-)
2/24/2018	4,231	8.3	1.6	84 (95 – 143)	363 (62 – 78)	559 (29 – 58)	0(-)	0(-)
2/25/2018	4,254	8.7	1.9	137 (82 – 95)	575 (60 – 79)	547 (31 – 57)	0 ( - )	0(-)
Biweekly Total <sup>2</sup>				1,060	4,306	7,676	0	31
Biweekly Lower 90% Confidence Interval				536	3,087	5,789	0	-29
Biweekly Upper 90% Confidence Interval				1,584	5,525	9,563	0	91
Brood Year Total				580,141	17,733	239,564	78,325	341
Brood year Lower 90% Confidence Interval				411,419	7,969	119,780	24,054	-155
Brood year Upper 90% Confidence Interval				748,863	27,498	359,348	132,595	837

<sup>&</sup>lt;sup>1</sup> Peak daily discharge values do not account for diversions at RBDD and only represent peak flows registered at the Bend Bridge Gauging station (<a href="http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd">http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd</a>).

<sup>&</sup>lt;sup>2</sup> Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we impute missed sample days with the weekly mean value of days sampled within the week.

### Juvenile Winter Chinook Salmon Estimated Passage




Figure 1. Weekly estimated passage of unmarked juvenile winter Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period July 1, 2011 to present.

 $<sup>^*</sup>$ Winter run passage value interpolated using a monthly mean for the period October 1, 2013 - October 17, 2013 due to government shutdown .




Figure 2. Weekly estimated passage of unmarked juvenile spring Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period October 16, 2011 to present.

PQ

<80

RUD

OÇ

Ser

الار

404

## Juvenile Onchorhyncus mykiss Estimated Passage




Figure 3. Weekly estimated passage of unmarked juvenile Rainbow/Steelhead trout at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period January 1, 2012 to present.

#### Juvenile Fall Chinook Salmon Estimated Passage BY2011 10000 5000 n = 6,273,7940 BY2012 10000 5000 n = 24,084,249BY2013 10000 Number of individuals X 1,000 5000 n = 31.839.500 0 BY2014 10000 5000 n = 3.960.441 0 BY2015 10000 5000 n = 25,721,508 BY2016 10000 5000 n = 18,617,1260 BY2017 10000

Figure 4. Weekly estimated passage of unmarked juvenile fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period December 1, 2011 to present.

Me

May

n = 239.564

AR.

PAR

OC.

40,1

5000

600

10

100

## Juvenile Late Fall Chinook Salmon Estimated Passage




Figure 5. Weekly estimated passage of unmarked juvenile late fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period April 1, 2011 to present.




Figure 6. Weekly estimated passage of unmarked juvenile Chinook salmon at Red Bluff Diversion Dam (RK391) by calendar year. Fish were sampled using rotary-screw traps for the period January 1, 2011 to December 31, 2017

RUD

00

Ser

404

Oec

M

Nay

PQ

<800

185

Mar